

Sealants and Tapes

ITEM#	DAP SEALANTS	
22068	DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone - White	Superior quality, multi-purpose acrylic latex caulk plus silicone. Highly flexible and durable. Excellent adhesion. Cured caulk is mildew resistant. Interior/exterior use. Paintable. Water clean-up. 35 Year Durability Guarantee. Exceeds ASTM Specification C 834.
22069	DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone - Clear	
22070	DAP® BUTYL-FLEX® Gutter & Flashing Sealant – Gray Butyl rubber formula provides a durable, flexible, watertight seal for gutters, drain spouts, lap joints, flashings, roof vents, aluminum siding, and other metal joints. Stands up to weather and temperature extremes. Meets ASTM Spec. C 1085.	
22071	DAP® KWIK FOAM® Polyurethane Insulating Foam Sealant - Tan A one-part, moisture-curing, polyurethane foam that expands to fill and seal large gaps and cavities. Stops air infiltration and will not shrink or degrade. Contains a flame retardant. Waterproof.	
22072	DAP® Roof Watertight Asphalt Filler & Sealant High performance, asphalt-based sealant for sealing roof gaps and joints, spotting shingles and repairing minor roof leaks. Forms a durable, flexible, weather-resistant and watertight seal. Can be used for both wet and dry applications. Will not run or bubble. Exterior use.	
22073	DAP® ALEX® Painters Caulk All purpose acrylic latex painter's caulk. Applies smoothly and easily. Adheres to wood, plaster, drywall and masonry. Resists cracking and chalking. Interior/exterior use. Paintable. Water clean-up. 25 Year Durability Guarantee. Meets ASTM Specification C 834 for extrudability, artificial weathering, extension-recovery and slump.	
22075	DAP® BEATS THE NAIL® All-Purpose Construction Adhesive For general construction, remodeling, maintenance and repair projects. Quick-grab formula provides a high-strength, heat and water resistant bond to a variety of substrates. Meets ASTM Specification C 557. Interior/exterior use.	

					
22068 & 22069	22070	22071	22072	22073	22075

WESTECH Adhesives & Sealants

ITEM #	Westech WT-HS High Strength Adhesive
	» High temperature resistance (tested to 290°F) and tensile strength » High solids web spray for extended coverage » Low VOC and HAP's free
49129	Westech - Adhesive High Strength Spray 13 oz
49132	Westech - High Strength Disposable 28# Canister
49140	Westech - Adhesive High Strength Clear 135# Can
ITEM #	Westech WT-MP Multi-Purpose Adhesive
	» High tack » High solids web spray for extended coverage » Low VOC and HAP's free » MPEA version reduces telegraphing for thin fabrics
49128	Westech - Adhesive Multi-Purpose Spray 13 oz
49131	Westech - Multi Purpose Disposable 28# Canister
ITEM #	Westech Spray Tips
49135	Westech Spray Gun Assembly w/652277 Tip
49136	Westech Spray Gun Assembly w/9501 Tip



ITEM #	SEALING FOAM
22332	Mud Seal Foam ¼" x 5 ½" x 50' For sealing manufactured home sections during set up.

CASA Adhesive, Inc.

Environmentally Friendly Products

Proudly Made in the U.S.A.

CASA Adhesive, Inc. products will replace the toxic environmentally destructive, health-hazardous adhesives and coatings now being offered by others, with superior non-toxic water-based adhesives and coatings.

ITEM #	DESCRIPTION	ADVANTAGES
49103	CASA 409-W WATER-BASED CONTACT ADHESIVE. CASA 409-W is a non-flammable, water-based adhesive for bonding plastic laminate, FRP panels and metal to particle board, gypsum board, plywood, metal and certain other materials.	<ul style="list-style-type: none"> • High Solids, Superior Coverage • Excellent Water Resistance • Zero VOC • Easy Clean Up • Fast One Part Adhesive System • Opaque In Color
49108	CASA 1212W-PT WATER-BASED CONTACT ADHESIVE CASA 1212W-PT is a non-flammable, water-based contact adhesive for bonding plastic laminate, FRP panels, gypsum board and tack board to particle board, plywood, metal and gypsum board.	<ul style="list-style-type: none"> • Non-Toxic • Short Open Time • Zero VOC • High Solids with Greater Coverage than Solvent Adhesives • Excellent Water Resistance • Natural Opaque Color
49109	CASA 140 PT MULTI-PURPOSE SPRAY FLOORING ADHESIVE CASA 140 PT is a multi-purpose flooring adhesive designed for use with broadloom and unitary backed carpet, as well as for use with felt backed sheet goods. This product is not for use with solid vinyl sheet goods, solid vinyl floor tile or vinyl-backed carpets.	<ul style="list-style-type: none"> • Cuts installation time by as much as 90% • Reduces "tack-over" time by as much as 75% • Zero VOC • Easy to use self contained canister system • Canister yields approximately: <ul style="list-style-type: none"> • 200 sq. yd. for broadloom carpet • 100 sq. yd. For unitary backed carpets • 3500 sq. ft. for felt-backed sheet goods
49110	CASA 3500 PT VINYL COMPOSITION TILE (VCT) & CALCIUM CARBONATE BACKED PVC TILE ADHESIVE CASA 3500 PT is a thin spread tile adhesive designed for the installation of vinyl composition tile or PVC tile with calcium carbonate backing and may be used on suspended wood floors.	<ul style="list-style-type: none"> • Cuts installation time by more than 70% • C.R.I. Green Label approved - No Solvents • Zero VOC • Dyed Blue for Enhanced Visibility • Canister Yields 3500 sq. ft. w/8002 tip • Canister Yields 2330 sq. ft. w/8003 tip
49113	CASA PT CLEANER CASA PT Cleaner is a commercial grade detergent packaged in a pressurized canister. This product has been specially engineered to clean PT equipment quickly and easily.	<ul style="list-style-type: none"> • Non-Toxic • Non-Flammable • Zero VOC • Can be used to clean all CASA Products • Easy to use canister system • Yields approximately 50 five to ten second cleanings
49145	CASA 3600 PT ROOFING FELT ADHESIVE CASA 3600 PT is a non-flammable, non-toxic, "0" VOC canister adhesive for bonding wide width and standard roofing felts and papers to themselves, or to wood roof decking.	<ul style="list-style-type: none"> • No solvent • Zero VOC • Water-Based • Tested and exceeds the requirement of ASTM 3019 • Provides up to 2500 square feet, per canister • Ends messy "tar drip" clean up
49146	CASA 494 POST FORMING-WATER-BASED CONTACT ADHESIVE CASA 494 is a post-formable, non-flammable, water-based adhesive for bonding plastic laminate. It can also be used to bond FRP panels and metal to particle board, gypsum board, plywood, metal and certain other materials.	<ul style="list-style-type: none"> • Non-Toxic with no Solvents • Excellent Temperature Resistance • Zero VOC • Economical—Up to 800 Sq. Ft. per Gallon • One Part Adhesive with Short Dry Time • Dyed Blue for Enhanced Visibility
49115	CASA PT Wand – Gun and Hose Assembly for Canister	
49120	CASA 6501 Spray Tip SS	
49116	CASA 6505 Spray Tip SS	
49144	CASA 8002 Spray Tip SS	
49117	CASA 8003 Spray Tip SS	
49121	CASA Spray Gun	
49122	CASA 18' Hose for Canister	

TAPE

Flex-Mend™ Belly Repair Tape

22016	Tape Flex Mend 28" x 100'	
22018	Tape Flex Mend 6" x 180'	
22100	Tape Flex Mend 4" x 180'	

Permanently repairs ripped or damaged polyethylene belly material.

Very few tapes will stick to the underneath material of a mobile home, much less stick permanently. For sure duct tape doesn't work. If you are tired of taping and re-taping the rips and tears in your home's belly, you'll appreciate Flex-Mend™ tape.


Flex-Mend™ is a revolutionary new mending product that matches the appearance and texture of bottom closure materials used by most manufacturers in the mobile home industry today. Flex-Mend™ is a woven polyethylene film currently meeting all requirements (except as noted below) for use as bottom board by the mobile home industry. It has been solid-coated with specially-formulated high-tech adhesive, and has an easily removed paper release liner. It goes on like a band-aid.

When placed over holes and tears, the entire Flex-Mend™ patch bonds tightly to the bottom closure material PERMANENTLY. Immediately following application, flex-mend patches are almost impossible to remove without destroying the patch and/or the surface to which it is bonded. During the next few hours, adhesion becomes stronger and stronger.


Repair holes, cuts and tears resulting from plumbing repairs, weak seams and damage by cats and other animals quickly, neatly and permanently. Flex-Mend™ is also waterproof and unaffected by cold and can be applied in below-freezing temperatures (see instructions) and will hold regardless of the season.

Note: This tape does not work effectively on the older bottom boards that resemble a solid board-like material.


Silver 2" x 100' - 100% Butyl Tape

22135	<p>FoilMastic Butyl Rubber Tape is a printed, 2 mil dead-soft aluminum foil backing with a 15 mil butyl rubber mastic adhesive. Used for indoor or outdoor sealing of low, medium & high pressure HVAC duct systems (includes: metal duct, fiberglass duct and flexible duct systems). Seal cracks and seams in gutters, roof alleys, eaves, hips and ridges. Seal around chimneys and vent stacks. Repair gouges, rips, tears in metal panels of trailers, shipping containers and metal buildings. Also used to seal leaks in vans, cars, and trucks and for mobile home repair. Use duct mastic to mend poorly sealed connections; improve indoor air quality (since fewer pollutants circulating); lower utility bills; and burn fewer fossil fuels. SMACNA A, B, and C Seal Classes. UL 723 classified. Features include:</p> <ul style="list-style-type: none"> ▪ Permanent sealant. Provides instant water tight bond. ▪ Acceptable for use on galvanized materials. ▪ Heavy duty all weather foil coated butyl mastic. ▪ Excellent adhesion to all surfaces. ▪ Extremely conformable. ▪ Non-staining adhesives. ▪ Paintable 2mil foil backing (use in place of caulk). ▪ Excellent resistance to cold, heat, water, and sunlight. ▪ Printed for easy identification. ▪ Release liner provides ease of installation. 	
-------	--	--

Scapa Polyflex 136

22511	<p>Scapa Polyflex 136 features include a tacky adhesive which bonds well to most surfaces over a wide temperature range; excellent low-temperature bonding; product is very conformable; it maintains a watertight seal in most weather conditions; good tear characteristics; and a low residue adhesive.</p>	
-------	---	---

Miscellaneous Tapes

22019	<p>High Tack Fabric-620 Premium black fabric tape with high tack -- a heavier adhesive layer, twice the thickness of economy cloth tapes, for jobs that require exceptionally high peel and sheer strength. 2" x 36</p>	
22145	Super-Tac 657 – Black Electrical Tape	
22144	Duct Tape - Black	
22096	Plumbers Tape	
22509	Silver Webbing Flex Duct Strapping – 100 yd. For Heat Duct Support	